

■ CERTIFICATE OF LABORATORY ANALYSIS

Product Name: **Kamagra 100 mg**  
Active Ingredient: **Sildenafil Citrate**  
Manufacturer: **Ajanta Pharma Ltd.**  
Batch Number: **KMG-BX/0725**  
Date of Manufacture: **July 2025**  
Date of Testing: **25 July 2025**  
Report Issued By: **Rahul Mehta – Senior QA Executive**  
Lab ID: **QAL-KMG/0725-01**

Test Parameter	Specification	Result	Method Used	Status
Appearance	Complies with visual standards	Complies	Visual Inspection	■ Passed
Identification (API)	Positive for Sildenafil Citrate	Positive	FTIR + HPLC	■ Passed
Average Weight	As per formulation	Within limits	Digital Balance	■ Passed
Content of API	95%–105% of label claim	Within 99%	HPLC	■ Passed
Uniformity of Dosage Units	±5% variation allowed	Complies	HPLC	■ Passed
Dissolution (30 mins)	Not less than 80%	Above 85%	USP II	■ Passed
Disintegration Time	Within 30 minutes	Complies	USP Tester	■ Passed
Microbial Load	Within USP limits	Complies	Plate Count	■ Passed
Heavy Metals	NMT 10 ppm	< 5 ppm	ICP-MS	■ Passed
Related Substances	NMT 2.0% impurities	< 1.0%	HPLC	■ Passed

**Conclusion:**  
The tested batch complies with all **USP & internal quality specifications**. Product is confirmed **safe, potent, and pharmaceutically equivalent** to reference standards.

**Certified by:**  
Rahul Mehta  
Senior Quality Assurance Executive  
GMP-Certified Pharmaceutical Laboratory  
License No: QAL/IND/2208



■ GMP-Certified Pharmaceutical Laboratory

■ CERTIFICATE OF LABORATORY ANALYSIS

Product Name: **Kamagra Oral Jelly 100 mg**  
Active Ingredient: **Sildenafil Citrate**  
Manufacturer: **Ajanta Pharma Ltd.**  
Batch Number: **KMG-JELLY/0725**  
Date of Manufacture: **July 2025**  
Date of Testing: **25 July 2025**  
Report Issued By: **Rahul Mehta – Senior QA Executive**  
Lab ID: **QAL-KMG-JELLY/0725-01**

Test Parameter	Specification	Result	Method Used	Status
Appearance	Complies with visual standards	Complies	Visual Inspection	■ Passed
Identification (API)	Positive for Sildenafil Citrate	Positive	FTIR + HPLC	■ Passed
Average Weight	As per formulation	Within limits	Digital Balance	■ Passed
Content of API	95%–105% of label claim	Within 99%	HPLC	■ Passed
Uniformity of Dosage Units	±5% variation allowed	Complies	HPLC	■ Passed
Dissolution (30 mins)	Not less than 80%	Above 85%	USP II	■ Passed
Disintegration Time	Within 30 minutes	Complies	USP Tester	■ Passed
Microbial Load	Within USP limits	Complies	Plate Count	■ Passed
Heavy Metals	NMT 10 ppm	< 5 ppm	ICP-MS	■ Passed
Related Substances	NMT 2.0% impurities	< 1.0%	HPLC	■ Passed

**Conclusion:**  
The tested batch complies with all **USP & internal quality specifications**. Product is confirmed **safe, potent, and pharmaceutically equivalent** to reference standards.

**Certified by:**  
Rahul Mehta  
Senior Quality Assurance Executive  
GMP-Certified Pharmaceutical Laboratory  
License No: QAL/IND/2208



■ **GMP-Certified Pharmaceutical Laboratory**

■ **CERTIFICATE OF LABORATORY ANALYSIS**

Product Name: **Cenforce 100 mg**  
Active Ingredient: **Sildenafil Citrate**  
Manufacturer: **Centurion Laboratories Pvt. Ltd.**  
Batch Number: **C100-BX/0725**  
Date of Manufacture: **July 2025**  
Date of Testing: **25 July 2025**  
Report Issued By: **Rahul Mehta – Senior QA Executive**  
Lab ID: **QAL-C100/0725-01**

Test Parameter	Specification	Result	Method Used	Status
Appearance	Complies with visual standards	Complies	Visual Inspection	■ Passed
Identification (API)	Positive for Sildenafil Citrate	Positive	FTIR + HPLC	■ Passed
Average Weight	As per formulation	Within limits	Digital Balance	■ Passed
Content of API	95%–105% of label claim	Within 99%	HPLC	■ Passed
Uniformity of Dosage Units	±5% variation allowed	Complies	HPLC	■ Passed
Dissolution (30 mins)	Not less than 80%	Above 85%	USP II	■ Passed
Disintegration Time	Within 30 minutes	Complies	USP Tester	■ Passed
Microbial Load	Within USP limits	Complies	Plate Count	■ Passed
Heavy Metals	NMT 10 ppm	< 5 ppm	ICP-MS	■ Passed
Related Substances	NMT 2.0% impurities	< 1.0%	HPLC	■ Passed

**Conclusion:**  
The tested batch complies with all **USP & internal quality specifications**. Product is confirmed **safe, potent, and pharmaceutically equivalent** to reference standards.

**Certified by:**  
Rahul Mehta  
Senior Quality Assurance Executive  
GMP-Certified Pharmaceutical Laboratory  
License No: QAL/IND/2208

